

Web Images Videos Maps News Shopping Gmail more ▾

Sign in



"immobilized antibody" "FLAG pep" Search

Instant is on ▾

About 10,900 results (0.12 seconds)

Advanced search

Everything

Images

Videos

News

Shopping

More

Alexandria, VA

Change location

Show search tools

Scholarly articles for "immobilized antibody" "FLAG peptide" linker probe



... using a streptavidin sensor surface self-assembled ... - Pavlickova - Cited by 45

Directed evolution of high-affinity antibody mimics ... - Xu - Cited by 154

A streptavidin-biotin-based microarray platform for ... - Pavlickova - Cited by 8

A Streptavidin-Biotin-Based Microarray Platform for Immunoassays

by P Pavlickova - Cited by 8 - Related articles
acid), to which biotin is covalently coupled via **linker** molecules [N-hydroxy- ... Dissolve the biotinylated peptide M42 **probe** in PBST buffer to obtain a series of concn ... The detection limit for the **immobilized antibody** (Ab27, Ab28) probes ... Einhauer, A. and Jungbauer, A. (2001) The **FLAG peptide**, a versatile ...
www.springerlink.com/index/tw0r5437434048h4.pdf - Similar

[PDF] Research Report

File Format: PDF/Adobe Acrobat - Quick View
by P Pavlickova - 2003 - Cited by 45 - Related articles
Oct 25, 2002 ... lently coupled via **linker** molecules with **Immobilized Antibody**. Fragments Using the Protein The biotinylated M42 (c = 10 µg/mL) **probe** was immobilized onto **FLAG peptide**, a versatile fusion tag for the ...
www.biotechniques.com/multimedia/archive/.../03341r03_10306.pdf - Similar

CMC Activity Center : Proteomics : Approaches : CMC-Nature Gateway

The sequence binds to an **immobilized antibody** directed against the FLAG sequence The **FLAG peptide**, a versatile fusion tag for the purification of ...
www.cellmigration.org/resource/proteomics/prot_approaches.shtml - Similar

Rapid and sensitive identification of epitope-containing peptides

by CS Raska - 2003 - Cited by 16 - Related articles
doi:10.1016/S1044-0305(03)00405-7 | How to Cite or Link Using DOI containing an **immobilized antibody** against the c-myc epitope (EQKLISEEDL). the Use of Bioreactive Mass Spectrometer **Probe** Tips in Protein Characterization. ... A. Einhauer and A. Jungbauer, The **FLAG Peptide**, a Versatile Fusion Tag for the ...
linkinghub.elsevier.com/retrieve/pii/S1044030503004057

Generic method for quantification of FLAG-tagged fusion proteins

by C Mersich - 2007 - Cited by 7 - Related articles
doi:10.1016/j.jbbm.2007.01.004 | How to Cite or Link Using DOI ...
linkinghub.elsevier.com/retrieve/pii/S0165022X07000048 - Similar

Show more results from elsevier.com

Ads

Peptide/Oligo Conference

Progression from Discovery through Preclinical & Clinical Development
www.ibclifesciences.com/TIDES

Streptavidin Mag. Beads

4X Higher Binding, 2 for 1 Offer... Less Expensive. Free Papers
www.solulink.com

Antibody Immobilization

Build Your Own Assays For Vacuum-Based Separation.
www.bio-rad.com

THE™ Flag Tag Antibody

Flag Tag Monoclonal Antibody The Best Quality in Industry
www.genscript.com

DYKDDDDK Tag Antibodies

High quality and low cost. 35 years experience.
www.idclab.com

Antibody Immobilization

Immobilize your own antibody on solid support, starts from \$900
www.cellmosaic.com

See your ad here »

Labeling Substance and Chimera Substance.
Process for Preparing ...

by K Shinya - 2005

Dec 13, 2007 ... A method for labeling a **probe** substance, wherein the **probe** substance beads with an **immobilized antibody** specifically recognizing the epitope A **linker** Y (refer to FIG. 3) used to extend the **Flag peptide** (symbol ...
www.freepatentsonline.com/y2007/0287152.html - Cached

Design and Characterization of Stimuli-
Responsive FLAG-tag ...

by C Pöhner - 2006 - Cited by 3 - Related articles

Sep 5, 2008 ... The amount of **immobilized antibody** was determined via the sensor readout (in RU) , the interaction of the **FLAG peptide** with the monoclonal antibody 4E11. Photochem. Photobiol. 1994, 59, 491–496. Direct Link: ...
onlinelibrary.wiley.com > ... > Journal Home > Vol 22 Issue 4 > Abstract

PLoS ONE: Adherent Monomer-Misfolded SOD1

by Y Watanabe - 2008 - Cited by 3 - Related articles

Since the first report of a **link** between the SOD1 mutations and FALS [3], After SDS electrophoresis, proteins were also **probed** for using The immunoprecipitated samples were eluted with 3x**FLAG peptide** (Sigma). ... **Immobilized antibody**/bound antigen was collected by centrifugation (5000 g for 1 min). ...
www.plosone.org/.../info%3Adoi%2F10.1371%2Fjournal.pone.0003497 - Cached

Immunoassay for a Small
Molecule, 11-Deoxycortisol ...

by N Kobayashi- Block all acs.org results - 2006 - Cited by 13 - Related articles

Feb 28, 2006... captured by both an **immobilized antibody** and an enzyme-labeled antibody; ... connecting the VH and VL domains via a flexible **linker** peptide. The sequences encoding the His 6 tag,25 the **FLAG peptide**,26 and ...
pubs.acs.org/doi/abs/10.1021/ac051859f

Hybridoma and monoclonal antibody for use in an
immunoaffinity ...

... hybridoma cell line designated 4E11, which is specific for DYKDDDDK **flag peptide**, is employed. The sequence of the **linker** appears below: ##STR1## ...
www.patentgenius.com/patent/5011912.html - Cached

1 2 3 4 5 6 7 8 9 10

Next

Search Help Give us feedback

Google Home Advertising Programs Business Solutions Privacy About Google